Contents to volume 255

Research Letters

Cleavage of a synthetic COOH-terminal oligopeptide of D1 precursor protein by a purified processing enzyme (FEB 07558) *S. Fujita, N. Inagaki, T. Ono, Y. Inoue, K. Satoh* 1

Electron-transfer restoration by vitamin K_3 in a complex III-deficient mutant of *S. cerevisiae* and sequence of the corresponding cytochrome *b* mutation (FEB 07561) *P. Brivet-Chevillotte, J.-P. di Rago* 5

Amino acid sequence of the crustacean hyperglycemic hormone (CHH) from the shore crab, *Carcinus maenas* (FEB 07565) *G. Kegel, B. Reichwein, S. Weese, G. Gaus, J. Peter-Katalinić, Rainer Keller* 10

Recombinant proricin binds galactose but does not depurinate 28 S ribosomal RNA (FEB 07564) *P.T. Richardson, M. Westby, L.M. Roberts, J.H. Gould, A. Colman, J.M. Lord* 15

Molecular cloning and sequence analysis of cDNA encoding rat adrenal cytochrome P-$450_{11\beta}$ (FEB 07566) *Y. Nonaka, N. Matsukawa, K. Morohdshi, T. Omura, T. Ogihara, H. Teraoka, M. Okamoto* 21

The structure of syringomycins A_1, E and G (FEB 07568) *A. Segre, R.C. Bachmann, A. Ballio, F. Bossa, I. Grgurina, N.S. Iacobellis, G. Marino, P. Pucci, M. Simmaco, J.Y. Takemoto* 27

Uptake and modification of dietary polyprenols and dolichols in rat liver (FEB 07570) *Å. Jakobsson, E. Swiezewska, T. Chojnacki, G. Dallner* 32

Nucleotide sequence of the maltotetraohydrolase gene from *Pseudomonas saccharophila* (FEB 07569) *J. Zhou, T. Baba, T. Takano, S. Kobayashi, Yu. Arai* 37

Bradykinin inhibits a potassium M-like current in rat pheochromocytoma PC12 cells (FEB 07571) *A. Villarroel, N.V. Marrion, H. Lopez, P.R. Adams* 42

Direct identification of the fluoroaluminate and fluoroberyllate species responsible for inhibition of the mitochondrial F_1-ATPase (FEB 07559) *A. Dupuis, J.-P. Issartel, P.V. Vignais* 47

Electron transfer in the isolated photosystem II reaction centre complex (FEB 07560) *J.H.A. Nugent, A. Telfer, C. Demetriou, J. Barber* 53

ADP-ribosylation of cell membrane proteins by staphylococcal α-toxin and leukocidin in rabbit erythrocytes and polymorphonuclear leukocytes (FEB 07562) *I. Kato, M. Noda* 59

Cloning and DNA sequence analysis of the glucose oxidase gene from *Aspergillus niger* NRRL-3 (FEB 07563) *M. Kriechbaum, H.J. Heilmann, F.J. Wientjes, M. Hahn, K.-D. Jany, H.G. Gassen, F. Sharif, G. Alaeddinoglu* 63

Catalytic properties of the heterodisulfide reductase involved in the final step of methanogenesis (FEB 07557) *R. Hedderich, A. Berkessel, R.K. Thauer* 67

Heterogeneity of native rat liver elongation factor 2 (FEB 07575) *A. Marzouki, J.-P. Lavergne, J.-P. Reboud, A.-M. Reboud* 72

A common structural motif in thiamin pyrophosphate-binding enzymes (FEB 07572) *C.F. Hawkins, A. Borges, R.N. Perham* 77

Elastase released from human granulocytes stimulated with *N*-formyl-chemotactic peptide prevents activation of tumor cell prourokinase (pro-uPA) (FEB 07573) *M. Schmitt, N. Kanayama, A. Henschen, A. Hollrieder, R. Hafter, Dietrich Gulba, F. Jänicke, H. Graeff* 83

The gene for human thioredoxin maps on the short arm of chromosome 3 at bands 3p11-p12 (FEB 07576) *M. Lafage-Pochitaloff-Huvalé, A. Shaw, F. Dessarps, P. Mannoni, D. Fradelizi, E.E. Wollman* 89

Ion channels in vacuoles from halophytes and glycophytes (FEB 07586) *O. Pantoja, J. Dainty, E. Blumwald* 92

Tryptophan decarboxylase from *Catharanthus roseus* is a pyridoxo-quinoprotein (FEB 07587) *E.J.M. Pennings, B.W. Groen, J.A. Duine, R. Verpoorte* 97

A purified complex from *Xenopus* oocytes contains a p47 protein, an in vivo substrate of MPF, and a p30 protein respectively homologous to elongation factors EF-1γ and EF-1β (FEB 07494) *R. Bellé, J. Derancourt, R. Poulhe, J.-P. Capony, R. Ozon, O. Mulner-Lorillon* 101

Primary structures of new 'iso-hirudins' (FEB 07551) *M. Scharf, J. Engels, D. Tripier* 105

α-Bungarotoxin interacts with the rat brain tachykinin receptors (FEB 07574) *Yu.N. Utkin, E.M. Lazakovich, I.E. Kasheverov, V.I. Tsetlin* 111

Sequence similarity between dopamine β-hydroxylase and peptide α-amidating enzyme: evidence for a conserved catalytic domain (FEB 07579) *C. Southan, L.I. Kruse* 116

^{19}F NMR detection of a fluorine-labelled enzyme in vivo (FEB 07578) *K. Brindle, S.-P. Williams, M. Boulton* 121

Inhibitory domain-specific antibodies to cytochrome P-450_{scc} (FEB 07580) *S.A. Usanov, A.A. Chernogolov, V.L. Chashchin* 125

Formation of endothelin by cultured airway epithelial cells (FEB 07581) *P.N. Black, M.A. Ghatei, K. Takahashi, D. Bretherton-Watt, T. Krausz, C.T. Dollery, S.R. Bloom* 129

Silicomolybdate substitutes for the function of a primary electron acceptor and stabilizes charge separation in the photosystem II reaction center complex (FEB 07582) *Y. Takahashi, K. Satoh, S. Itoh* 133

Fatty acylation of yeast glycoproteins proceeds independently of *N*-linked glycosylation (FEB 07583) *P.S. Appukuttan, H.C. Wu* 139

New series of lipoxins isolated from human eosinophils (FEB 07584) *D. Steinhilber, H.J. Roth* 143

Internal amino acid sequence analysis of the 80 kDa protein kinase C substrate from rat brain: relationship to the 87 kDa substrate from bovine brain (FEB 07585) *J.D. Erusalimsky, C. Morris, K. Perks, R. Brown, S. Brooks, E. Rozengurt* 149

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/89/$3.50 © 1989 Federation of European Biochemical Societies

Photoaffinity labeling of thiamin-binding component in yeast plasma membrane with [^{3}H]4-azido-2-nitrobenzoylthiamin (FEB 07588) *H. Nishimura, K. Sempuku, Yu. Kawasaki, K. Nosaka, A. Iwashima* 154
Dendrotoxin and charybdotoxin increase the cytosolic concentration of free Ca^{2+} in cerebrocortical synaptosomes: an effect not shared by apamin (FEB 07590) *G.R. Tibbs, D.G. Nicholls, J.O. Dolly* 159
Energy transduction at the catalytic site of enzymes: hydrolysis of phosphoester bonds and synthesis of pyrophosphate by alkaline phosphatase (FEB 07591) *R.V. Nayudu, L. de Meis* 163
Critical spacing between two essential cysteine residues in the interdomain linker of the *Bradyrhizobium japonicum* NifA protein (FEB 07592) *H.-M. Fischer, S. Fritsche, B. Herzog, H. Hennecke* 167
Induction of prostacyclin receptor expression in human erythroleukemia cells (FEB 07593) *R. Murray, L. Furci, G.A. FitzGerald* 172
Presence of fructokinase in pancreatic islets (FEB 07594) *W.J. Malaisse, F. Malaisse-Lagae, D.R. Davies, E. Van Schaftingen* 175
RNA degrading activity is tightly associated with the multicatalytic proteinase, ingensin (FEB 07595) *T. Tsukahara, K. Tanaka, T. Ogawa, S. Ishiura, R. Funabiki, H. Sugita* 179
Inhibition of protein kinase C induces differentiation of neuroblastoma cells (FEB 07596) *M.-D. Miñana, V. Felipo, S. Grisolia* 184
Inhibition by islet-activating protein, pertussis toxin, of retinoic acid-induced differentiation of human leukemic (HL-60) cells (FEB 07597) *M. Tohkin, T. Iiri, M. Ui, T. Katada* 187
Effect of the different dimeric forms of the platelet-derived growth factor on cellular responses in mouse Swiss 3T3 fibroblasts (FEB 07598) *E. Sturani, R. Brambilla, L. Morello, M.G. Cattaneo, R. Zippel, L. Alberghina* 191
Rapid relaxation of single frog skeletal muscle fibres following laser flash photolysis of the caged calcium chelator, diazo-2 (FEB 07599) *I.P. Mulligan, C.C. Ashley* 196
The N-terminal domain I of human lactotransferrin binds specifically to phytohemagglutinin-stimulated peripheral blood human lymphocyte receptors (FEB 07600) *E. Rochard, D. Legrand, J. Mazurier, J. Montreuil, G. Spik* 201
Phosphorylation of protein kinase C by casein kinase-1 (FEB 07613) *J. Vila, J.M. Walker, E. Itarte, M.J. Weber, J.J. Sando* 205
Notes to Authors 209

Research Letters

Primary structure of a new cysteine proteinase inhibitor from pig leucocytes (FEB 07589) *A. Ritonja, M. Kopitar, R. Jerala, V. Turk* 211
Interaction of antibodies to synthetic peptides of proNGF with in vitro synthesized NGF precursors (FEB 07601) *E. Dicou* 215
Cloning, sequence analysis and chromosome localization of a *Drosophila* muscarinic acetylcholine receptor (FEB 07614) *T. Onai, M.G. FitzGerald, S. Arakawa, J.D. Gocayne, D.A. Urquhart, L.M. Hall, C.M. Fraser, W.R. McCombie, J.C. Venter* 219
DNA fingerprints revealing common and divergent human DNA methylation patterns (FEB 07602) *Z.N. Berneman, P. Raeymaekers, G. Vanhoof, D. Van Bockstaele, M. Ramael, M.E. Peetermans, A. Vandenberghe, C. Van Broeckhoven* 226
Expression of the cDNA encoding lipocortin-like 39 kDa protein of guinea pig neutrophils in yeast: Purification and biological characterization (FEB 07612) *E.F. Sato, Y. Tanaka, K. Edashige, H. Kobuchi, S. Morishita, M. Sugino, M. Inoue, K. Utsumi* 231
Investigation of neutral endopeptidases (EC 3.4.24.11) and of neutral proteinases (EC 3.4.24.4) using a new sensitive two-stage enzymatic reaction (FEB 07610) *F.E. Indig, D. Ben-Meir, A. Spungin, S. Blumberg* 237
The activity of the mouse renin promoter in cells that do not normally produce renin is dependent upon the presence of a functional enhancer (FEB 07603) *M. Ekker, C. Sola, F. Rougeon* 241
Fluorescence of the reaction centre of photosystem II in cells of green alga *Chlamydomonas reinhardtii* (FEB 07608) *N.N. Lebedev, I.V. Barskaya* 248
Isolation from human cerebrospinal fluid of a new insulin-like growth factor-binding protein with a selective affinity for IGF-II (FEB 07604) *M. Roghani, P. Hossenlopp, P. Lepage, A. Balland, M. Binoux* 253
Differential sensitivity to guanine nucleotides of basal and insulin-stimulated glucose transporter activity reconstituted from adipocyte membrane fractions (FEB 07615) *A. Schürmann, W. Rosenthal, K.D. Hinsch, H.G. Joost* 259
Analysis of free sulfhydryl groups and disulfide bonds in Na^+,K^+-ATPase (FEB 07606) *N.M. Gevondyan, V.S. Gevondyan, E.E. Gavrilyeva, N.N. Modyanov* 265
Isolation of dermenkephalin from amphibian skin, a high-affinity δ-selective opioid heptapeptide containing a D-amino acid residue (FEB 07605) *A. Mor, A. Delfour, S. Sagan, M. Amiche, P. Pradelles, J. Rossier, P. Nicolas* 269
Purification of the human placental α_2-macroglobulin receptor (FEB 07609) *P.H. Jensen, S.K. Moestrup, J. Gliemann* 275
Extracellular Ca^{2+}-activated K channel in coronary artery smooth muscle cells and its role in vasodilation (FEB 07611) *I. Inoue, Y. Nakaya, S. Nakaya, H. Mori* 281
Human gelatinase/type IV procollagenase is a regular plasma component (FEB 07616) *T. Vartio, M. Baumann* 285
Purification of the inducible α-agglutinin of *S. cerevisiae* and molecular cloning of the gene (FEB 07617) *K. Hauser, W. Tanner* 290
A new proalbumin variant: albumin Jaffna (–1 Arg→Leu) (FEB 07618) *M. Galliano, L. Minchiotti, M. Stoppini, A.L. Tàrnoky* 295
Molecular cloning and nucleotide sequence analysis of mRNA for human kidney ornithine aminotransferase: An examination of ornithine aminotransferase isozymes between liver and kidney (FEB 07622) *T. Kobayashi, M. Nishii, Y. Takagi, K. Titani, T. Matsuzawa* 300
Circadian rhythm and phytochrome control of LHC-I gene transcription (FEB 07619) *P. Tavladoraki, J. Argyroudi-Akoyunoglou* 305

Studies on the reactive site of the cystatin superfamily using recombinant cystatin A mutants: Evidence that the QVVAG region is not essential for cysteine proteinase inhibitory activities (FEB 07621) *T. Nikawa, T. Towatari, Y. Ike, N. Katunuma* 309
Deprivation of nerve growth factor rapidly increases purine efflux from cultured sympathetic neurons (FEB 07623) *A.M. Tolkovsky, E.A. Buckmaster* 315
Molecular cloning and predicted full-length amino acid sequence of the type Iβ isozyme of cGMP-dependent protein kinase from human placenta: Tissue distribution and developmental changes in rat (FEB 07625) *M. Sandberg, V. Natarajan, I. Ronander, D. Kalderon, U. Walter, S.M. Lohmann, T. Jahnsen* 321
Evidence for interactions of acyl carrier protein with glycerol-3-phosphate acyltransferase, an inner membrane protein of *Escherichia coli* (FEB 07624) *N. Bayan, H. Thérisod* 330
Messenger RNA encoding the D_2 dopaminergic receptor detected by in situ hybridization histochemistry in rat brain (FEB 07627) *A. Najlerahim, A.J.L. Barton, P.J. Harrison, J. Heffernan, R.C.A. Pearson* 335
N-acetyldopamine quinone methide/1,2-dehydro-*N*-acetyl dopamine tautomerase: A new enzyme involved in sclerotization of insect cuticle (FEB 07629) *S.J. Saul, M. Sugumaran* 340
Nonenzymatic transformations of enzymatically generated *N*-acetyldopamine quinone and isomeric dihydrocaffeiyl methyl amide quinone (FEB 07630) *M. Sugumaran, V. Semensi, H. Dali, S. Saul* 345
Orientation of the chromophore transition moment in the 4-leaved shape model for pea phytochrome molecule in the red-light absorbing form and its rotation induced by the phototransformation to the far-red-light absorbing form (FEB 07628) *S. Tokutomi, M. Mimuro* 350
Effect of subtransition in 1,2-dipalmitoylphosphatidylcholine model membrane on the spin probe motion (FEB 07626) *J. Gollová, P. Balgavý* 354
De novo biosynthesis and base composition of total and ribosomal ribonucleic acids during early development in *Artemia* sp. (FEB 07654) *A. Liras, M.C. Hernández Cruz, P. Rotllán, L. Argomaniz, P. Llorente* 358
Purification of a DNA methyltransferase from *Bacillus natto* B3364 (FEB 07631) *E.L. Kim, S.S. Maliuta* 361
Inactivation of human thrombin by water-soluble carbodiimides: The essential carboxyl has a pK_a of 5.6 and is one other than Asp-189 (FEB 07633) *C.L. Borders, jr, V.W.F. Chan, L.A. Miner, Y.M. Weerasuriya* 365
Improved resolution in ^{1}H-detected ^{1}H-^{15}N correlation experiments (FEB 07632) *T.J. Norwood, J. Boyd, I.D. Campbell* 369
Development of a monoclonal antibody against recombinant neuroendocrine 7B2 protein (FEB 07636) *H.L.P. van Duijnhoven, T.A.Y. Ayoubi, E.D.J. Timmer, A.A.M. Braks, A.J.M. Roebroek, G.J.M. Martens, W.J.M. van de Ven* 372
Voltage-dependent transient calcium currents in freshly dissociated capillary endothelial cells (FEB 07635) *J.-L. Bossu, A. Feltz, J. -L. Rodeau, F. Tanzi* 377
S-100a_0 protein stimulates Ca^{2+}-induced Ca^{2+} release from isolated sarcoplasmic reticulum vesicles (FEB 07637) *G. Fanò, V. Marsili, P. Angelella, M.C. Aisa, I. Giambanco, R. Donato* 381
Thyroid hormone effeot on rat heart mitochondrial proteins and affinity labeling with *N*-bromoacetyl-3,3',5-triiodo-L-thyronine: Lack of direct effect on the adenine nucleotide translocase (FEB 07638) *U.B. Rasmussen, J. Köhrle, H. Rokos, R.-D. Hesch* 385
The light chain but not the heavy chain of botulinum A toxin inhibits exocytosis from permeabilized adrenal chromaffin cells (FEB 07641) *B. Stecher, U. Weller, E. Habermann, M. Gratzl, G. Ahnert-Hilger* 391
Phosphorylation of tyrosine prevents dityrosine formation in vitro (FEB 07639) *B. Gmeiner, C. Seelos* 395
Calcium channels in undifferentiated PC12 rat pheochromocytoma cells (FEB 07640) *D. Janigro, G. Maccaferri, J. Meldolesi* 398
Resting plasma membrane potential of rat peritoneal mast cells is set predominantly by the sodium pump (FEB 07642) *C. Bronner, M. Mousli, N. Eleno, Y. Landry* 401
Purification of 25-hydroxyvitamin D_3 24-hydroxylase from rat kidney mitochondria (FEB 07643) *Y. Ohyama, S. Hayashi, K. Okuda* 405
Different effects of sphingosine, R59022 and anionic amphiphiles on two diacylglycerol kinase isozymes purified from porcine thymus cytosol (FEB 07644) *F. Sakane, K. Yamada, H. Kanoh* 409
Nucleic acids can regulate the activity of casein kinase II (FEB 07646) *M. Gatica, C.C. Allende, J.E. Allende* 414
The angiotensinogen gene is located on mouse chromosome 8 (FEB 07645) *W.M. Clouston, R.E.K. Fournier, R.I. Richards* 419
Differentiation of intestinal epithelial cell line (IEC-18) by an acid extract of rat small intestine (FEB 07647) *T. Shintani, T. Fushiki, S. Fukuoka, H. Takahashi-Iwanaga, E. Sugimoto* 423
Work overload induced changes in fast and slow skeletal muscle myosin heavy chain gene expression (FEB 07648) *M.J. Morgan, P.T. Loughna* 427
Correlation of trenalose content and heat resistance in yeast mutants altered in the RAS/adenylate cyclase pathway: is trehalose a thermoprotectant? (FEB 07649) *T. Hottiger, T. Boller, A. Wiemken* 431
Irreversible binding of bacteriophage T5 to its FhuA receptor protein is associated with covalent cross-linking of 3 copies of tail protein pb4 (FEB 07650) *A. Feucht, G. Heinzelmann, K.J. Heller* 435
Evidence for the involvement of carboxyl groups in passive calcium uptake by liver plasma membrane vesicles and in agonist-induced calcium uptake by hepatocytes (FEB 07651) *A. Karjalainen, F.L. Bygrave* 441
γ-Thrombin-induced phospholipase A_2 activation in rabbit platelets: comparison with α-thrombin (FEB 07653) *L. Touqui, M. Jandrot-Perrus, B.B. Vargaftig* 445
Non-random spontaneous chain breakages occur in DNA methylated with dimethyl sulfate (FEB 07655) *A. Dölle, W.H. Strätling* 451

Isolation and expression in *Saccharomyces cerevisiae* of a gene encoding an α-amylase from *Schwanniomyces castellii* (FEB 07656) *D. Abarca, M. Fernández-Lobato, M.G. Claros, A. Jiménez* 455

A new model for the pro-PQQ cofactor of quinoprotein methylamine dehydrogenase (FEB 07657) *F.M.D. Vellieux, W.G.J. Hol* 460

Author Index 465

Table of Contents 471

Notes to Authors 476